

MINWOOL-1200® PIPE

BENEFITS

Water-Repellent:

Acoustical Performance:

Thermal Performance:

Light Weight & Low Dust:

Low Smoke & Flame Spread:

Non-Combustible:

APPLICATIONS

AVAILABLE FORMS & SIZES


Standard Thicknesses Available:

Standard Length Available:

Pipe Sizes		
(in.)	(mm)	Form
1.315	33.3	1/2" x 1/2"
1.650	41.9	3/4" x 3/4"
2.000	50.8	1" x 1"

LINEAR SHRINKAGE AFTER 24 HRS. @ TEMPERATURE

Temperature		Shrinkage (%)
°F	°C	
70	21	0.1
100	38	0.2
150	66	0.4
200	93	0.6
250	121	0.8
300	149	1.0
350	177	1.2
400	204	1.4
450	232	1.6
500	260	1.8
550	288	2.0
600	316	2.2
650	344	2.4
700	372	2.6
750	400	2.8
800	428	3.0
850	456	3.2
900	484	3.4
950	512	3.6
1000	540	3.8



PRODUCT CERTIFICATION

QUALITY STATEMENT

SPECIFICATION COMPLIANCE

ASTM A726	100%
ASTM A727	100%
ASTM A728	100%
ASTM A729	100%
ASTM A730	100%
ASTM A731	100%
ASTM A732	100%
ASTM A733	100%
ASTM A734	100%
ASTM A735	100%
ASTM A736	100%
ASTM A737	100%
ASTM A738	100%
ASTM A739	100%
ASTM A740	100%
ASTM A741	100%
ASTM A742	100%
ASTM A743	100%
ASTM A744	100%
ASTM A745	100%
ASTM A746	100%
ASTM A747	100%
ASTM A748	100%
ASTM A749	100%
ASTM A750	100%
ASTM A751	100%
ASTM A752	100%
ASTM A753	100%
ASTM A754	100%
ASTM A755	100%
ASTM A756	100%
ASTM A757	100%
ASTM A758	100%
ASTM A759	100%
ASTM A760	100%
ASTM A761	100%
ASTM A762	100%
ASTM A763	100%
ASTM A764	100%
ASTM A765	100%
ASTM A766	100%
ASTM A767	100%
ASTM A768	100%
ASTM A769	100%
ASTM A770	100%
ASTM A771	100%
ASTM A772	100%
ASTM A773	100%
ASTM A774	100%
ASTM A775	100%
ASTM A776	100%
ASTM A777	100%
ASTM A778	100%
ASTM A779	100%
ASTM A780	100%
ASTM A781	100%
ASTM A782	100%
ASTM A783	100%
ASTM A784	100%
ASTM A785	100%
ASTM A786	100%
ASTM A787	100%
ASTM A788	100%
ASTM A789	100%
ASTM A790	100%
ASTM A791	100%
ASTM A792	100%
ASTM A793	100%
ASTM A794	100%
ASTM A795	100%
ASTM A796	100%
ASTM A797	100%
ASTM A798	100%
ASTM A799	100%
ASTM A800	100%
ASTM A801	100%
ASTM A802	100%
ASTM A803	100%
ASTM A804	100%
ASTM A805	100%
ASTM A806	100%
ASTM A807	100%
ASTM A808	100%
ASTM A809	100%
ASTM A810	100%
ASTM A811	100%
ASTM A812	100%
ASTM A813	100%
ASTM A814	100%
ASTM A815	100%
ASTM A816	100%
ASTM A817	100%
ASTM A818	100%
ASTM A819	100%
ASTM A820	100%
ASTM A821	100%
ASTM A822	100%
ASTM A823	100%
ASTM A824	100%
ASTM A825	100%
ASTM A826	100%
ASTM A827	100%
ASTM A828	100%
ASTM A829	100%
ASTM A830	100%
ASTM A831	100%
ASTM A832	100%
ASTM A833	100%
ASTM A834	100%
ASTM A835	100%
ASTM A836	100%
ASTM A837	100%
ASTM A838	100%
ASTM A839	100%
ASTM A840	100%
ASTM A841	100%
ASTM A842	100%
ASTM A843	100%
ASTM A844	100%
ASTM A845	100%
ASTM A846	100%
ASTM A847	100%
ASTM A848	100%
ASTM A849	100%
ASTM A850	100%
ASTM A851	100%
ASTM A852	100%
ASTM A853	100%
ASTM A854	100%
ASTM A855	100%
ASTM A856	100%
ASTM A857	100%
ASTM A858	100%
ASTM A859	100%
ASTM A860	100%
ASTM A861	100%
ASTM A862	100%
ASTM A863	100%
ASTM A864	100%
ASTM A865	100%
ASTM A866	100%
ASTM A867	100%
ASTM A868	100%
ASTM A869	100%
ASTM A870	100%
ASTM A871	100%
ASTM A872	100%
ASTM A873	100%
ASTM A874	100%
ASTM A875	100%
ASTM A876	100%
ASTM A877	100%
ASTM A878	100%
ASTM A879	100%
ASTM A880	100%
ASTM A881	100%
ASTM A882	100%
ASTM A883	100%
ASTM A884	100%
ASTM A885	100%
ASTM A886	100%
ASTM A887	100%
ASTM A888	100%
ASTM A889	100%
ASTM A890	100%
ASTM A891	100%
ASTM A892	100%
ASTM A893	100%
ASTM A894	100%
ASTM A895	100%
ASTM A896	100%
ASTM A897	100%
ASTM A898	100%
ASTM A899	100%
ASTM A900	100%

